


A RIGHT CHOICE
AGAINST
INFECTIONS



A right choice against infections

ZAMPICILLIN

Ampicillin

Injection, Capsules, Suspension

INDICATIONS:

- | | |
|------------------------------------|--------------------------|
| ● Respiratory Tract Infections. | ● Pelvic Infections. |
| ● Ear, Nose and Throat Infections. | ● Septicemia. |
| ● Urinary Tract Infections. | ● Endocarditis. |
| ● Gastro-intestinal infections. | ● Orthopedic Infections. |
| ● Skin and Soft tissue, infections | |

- 👉 Excellent Safety Profile
- 👉 Rapid Tissue Distribution
- 👉 Quality with Economy
- 👉 Reliable Efficacy
- 👉 Better Pathogen Coverage

BRIEF PRESCRIBING INFORMATION:

INDICATIONS: Zampicillin is highly effective in the infections of respiratory tract, Ear, Nose, Throat, Pelvis, Skin & Soft Tissues, Cystitis and Pyelonephritis etc. **CONTRA-INDICATION:** Contraindicated in patients with hypersensitivity to penicillin. **DOSEAGE & ADMINISTRATION: ADULTS: FOR INTRAMUSCULAR:** 500mg-1gm every 4-6 hours, Dissolve in 1.5 ml WFI, shaking vigorously. **FOR INTRAVENOUS:** 500mg-1gm every 4-6 hours. Up to 12gm may be administered through IV. Infusion. Dissolve 250mg injection in 5ml WFI. Shaking vigorously. **CHILDREN:** 1 month to 2 years: 1/4 adult dose 2-10 years: 1/2 adult dose. **SIDE EFFECTS:** Generally side effects are Diarrhoea, Anaemia, Sore throat, Dry mouth, Glossitis, Stomatitis and furry tongue. Treatment should be discontinued if these symptoms are severe. **PRECAUTIONS:** In treatment with high doses liquid intake to be adequately increased and urinary output should be maintained.



“Medicines For All”



Zafa Pharmaceutical Laboratories (Private) Ltd.

L-1/B, Block 22, FEDERAL 'B' INDUSTRIAL AREA, KARACHI - 75950 (PAKISTAN)

Email: zafaph@cyber.net.pk Website: www.zafa.com.pk



ISO 9001:2000