

Achievers of **Height**
in **Strength** & efficacy



Ideal combination against pathogens

ZAMPILOX

Ampicillin & Cloxacillin

Injection, Capsule & Suspension

INDICATIONS:

- Respiratory Tract Infections.
- Ear, Nose and Throat Infections.
- Urinary Tract Infections.
- Gastro-intestinal infections.
- Skin and Soft tissue infections
- Pelvic Infections.
- Septicemia.
- Endocarditis.
- Orthopedic Infections.



Premium Quality With Superior Economy.



Reliable Efficacy.



Better Bacteriological Coverage



Excellent Safety Profile



Rapid Tissue Distribution

BRIEF PRESCRIBING INFORMATION:

INDICATIONS: ZampiloX is highly effective in infections of Respiratory Tract, ENT, Urinary Tract, GIT, Pelvis, Skin & Soft Tissue. It is also indicated in Endocarditis, Septicemia and Orthopaedic infections. **CONTRA-INDICATION:** Hypersensitivity to penicillin, **SIDE EFFECTS:** Rare and dose related, May include mild GI or occasional rash, **PRECAUTIONS:** Impaired renal function, premature neonates and sodium restricted diet. **DOSAGE & ADMINISTRATION: ADULTS: FOR INTRAMUSCULAR:** 500mg-1gm every 4-6 hours, Dissolve in 1.5 ml WFI, shaking vigorously, **FOR INTRAVENOUS:** 500mg-1gm every 4-6 hours, Upto 12gm may be administered through I.V. Infusion, Dissolve 250mg injection in 5ml WFI, Shaking vigorously, **CHILDREN:** 1 month to 2 years: 1/4 adult dose 2-10 years: 1/2 adult dose.



“Medicines For All”



ZAFA Pharmaceutical Laboratories (Private) Ltd.

L-1/B, Block 22, FEDERAL 'B' INDUSTRIAL AREA, KARACHI - 75950 (PAKISTAN)

Email: zafaph@cyber.net.pk Website: www.zafa.com.pk



ISO 9001:2000