

Let **Levozaf**

Helps to make your **DAY**




the potent and safe resolve...

Levozaf

Syrup 2.5mg/5ml

Levocetirizine Dihydrochloride



Levozaf provides potent & prolong RELIEF throughout the season

Levozaf The Superior 3rd Generation Anti-Histamine provides multiple advantages over 1st & 2nd Generations Anti-Histamine

Levozaf has excellent pharmacokinetics, provides rapid relief than Desloratadine and Fexofenadine

Levozaf is Non-sedating, because it does not cross blood brain barrier

Levozaf has convenient once a day dose

Levozaf is FDA approved for use in children of 6 months and above

DOSAGE:

Children 6 months to 6 years	½ teaspoon daily
Children 7 years to 12 years	1 teaspoonful daily
Adults & Adolescents	2 teaspoonful daily

Brief Prescribing information:

Composition: 5ml syrup contains 2.5 mg levocetirizine dihydrochloride. **Pharmaco-therapeutic Group:** Anti allergic Agent, 3rd generation Non-sedating Anti-histamine. **Therapeutic Indications:** Levocetirizine is indicated for symptomatic treatment of allergic rhinitis (including persistent allergic rhinitis), chronic idiopathic urticaria and allergic conjunctivitis. **Posology and Method of administration:** Adults and adolescent 12 years and above: The daily recommended dose is 5mg (2 teaspoonful or 10ml syrup). **Elderly:** Adjustment of the dose is recommended in elderly patients with compromised renal functions. **Children aged 6 year to under 12 years:** The daily recommended dose is 2.5mg (1 teaspoonful or 5ml syrup). **Children aged 6 months to under 6 years:** The daily recommended dose is 1.25mg (1/2 teaspoon or 2.5ml syrup). **Duration of use:** The duration of use depends on the type, duration and course of complaints, For Hay fever 3-6 weeks and in case of short-term pollen exposure as little as one week, is generally sufficient. Clinical experience with 5 mg levocetirizine is currently available for a 6 month treatment period. For chronic urticaria and chronic allergic rhinitis, up to one year's clinical experience is available for the racemate, and up to 18 months in patient with pruritus associated with atopic dermatitis. **Contra-indications:** History of hypersensitivity to levocetirizine or any of the other constituents of the formulation or to any piperazine derivatives. Patients with severe renal impairment at less than 10 ml/min creatinine clearance. **Warning and precautions for use:** Precaution is recommended with intake of alcohol. Patients with rare hereditary problems of galactose intolerance, the Lapp - lactase deficiency or glucose-galactose malabsorption should not take this medicine.



“Medicines For All”



ZAFA Pharmaceutical Laboratories (Private) Ltd.

L-1/B, Block-22, FEDERAL 'B' INDUSTRIAL AREA, KARACHI-75950 (PAKISTAN)
Email: zafaph@cyber.net.pk, Website: www.zafa.com.pk

